	Application No.	Applicant(s)	
Notice of Allowability	09/742,674	FOSTER, MICHAE	L RALPH
	Examiner	Art Unit	
	Kishor Mayekar	1753	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS Is herewith (or previously mailed), a Notice of Allowance (PTOL-88 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT I of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in this ap 5) or other appropriate communication RIGHTS.  This application is subject t	plication. If not includ n will be mailed in due	ed course, <b>THIS</b>
1. $oxed{oxed}$ This communication is responsive to <u>the telephone interv</u>	riew with Att. Paul Marshall on 3/16/0	<u>4</u> .	
2. $\boxtimes$ The allowed claim(s) is/are <u>14-22 and 25-27</u> .			
3. $igotimes$ The drawings filed on <u>20 December 2000</u> are accepted b	y the Examiner.		
4. ☐ Acknowledgment is made of a claim for foreign priority of a) ☐ All b) ☐ Some* c) ☐ None of the:  1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority of International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:	ve been received. ve been received in Application No		ation from the
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply MENT of this application.	complying with the re	quirements
<ol> <li>A SUBSTITUTE OATH OR DECLARATION must be sub- INFORMAL PATENT APPLICATION (PTO-152) which gi</li> </ol>	mitted. Note the attached EXAMINER ves reason(s) why the oath or declara	R'S AMENDMENT or Nation is deficient.	NOTICE OF
6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") make (a) ☐ including changes required by the Notice of Draftspector 1) ☐ hereto or 2) ☐ to Paper No./Mail Date  (b) ☐ including changes required by the attached Examine Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	rson's Patent Drawing Review ( PTO  r's Amendment / Comment or in the 0  1.84(c)) should be written on the drawi	Office action of ngs in the front (not the	e back) of
<ol> <li>DEPOSIT OF and/or INFORMATION about the dep attached Examiner's comment regarding REQUIREMENT</li> </ol>			Note the
Attachment(s)  1. ☑ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	Paper No./Mail Da /08), 7. ⊠ Examiner's Amend	r (PTO-413), ite <u>3/16/04</u> . ment/Comment	
		Kishor Mayekar Primary Examiner Art Unit: 1753	

Application/Control Number: 09/742,674

Art Unit: 1753

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney Paul Marshall on March 16, 2004.

2. The application has been amended as follows:

## In the Claims:

Cancel non-elected claims 1-13, 23 and 24 without prejudices to the filing of a divisional thereof.

Claim 16, line 7, replace "whereby" with --wherein--.

Claim 21, line 2, replace "Cogebi 132P mica," with --mica sheet--.

3. The following is an examiner's statement of reasons for allowance: Because the prior art references do not disclose a non-thermal plasma reactor:

Application/Control Number: 09/742,674

Art Unit: 1753

- o the provision of the recited folds of an insulating layer disposed on each side of a stack and the recited insulating retention material wrapped around the stack in combination with other recited structures as claimed in claims 14-15;
- o the provision of the recited permanent pleated insulating separators disposed on each side of a stack and the recited insulating retention material wrapped around the stack in combination with other recited structures as claimed in claims 16-22; and
- o the provision of the recited insulation retention material wrapped around a stack and extending into an exhaust gas passage at opposite side of the stack wherein the exhaust gas passage is free of permanent individual ceramic spacers in combination with other recited structures as claimed in claims 25-27.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/742,674 Page 4

Art Unit: 1753

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kishor Mayekar whose telephone number is (571) 272-1339. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam Nguyen can be reached on (571) 272-1342. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kishor Mayekar Primary Examiner Art Unit 1753